
Culture,
Competence
and
ZeroSuicide:



We Must
Change
Our Approach

Mortality from Medical Causes




The Quest for the Cure: The Science of Mental Illness, Thomas Insel, MD, Director of NIMH, 2014 National Council for Behavioral Health.

Behavioral Health Respons

A System-Wide Approach for Health Care: Henry Ford Health System

14






Education Development Center Inc. ©2015 All Rights Reserved.



Zero Suicide at Centerstone: Results





Education Development Center Inc. @2015 All Rights Reserved.



I am not broken.
I am not damaged.
I am not missing a piece or un-whole.
I am not more or less fragile.
I am not weaker or stronger.
I am not braver or more cowardly.
I am a suicide attempt survivor.
I am in recovery,
AND I am just like you.
You cannot stigmatize me because

DR. BART ANDREWS


3 Steps to Make a Difference

- 1. Culture/Language
- 2. Better Suicide Care for Folks in Services
- 3. Improved Access to Care for All






CULTURE




Highest/Lowest Suicide Rate: U.S.






South Korea - Transformed

South Korean Suicide Rate






It's Culture, It's Community





Rational Suicide, Irrational Laws – Susan Stefan





Competence Association

- No association of incompetence with "medical" conditions
- Is there with MENTAL HEALTH?
- YES, YES, YES
- Are we ok with that? Are you?

I AM NOT F&@# OK WITH THAT



WHAT IF WE ASSUMED

PERSONS AT RISK OF SUICIDE

WE'RE COMPETENT, RATIONAL

AND CAPABLE BEINGS, AND

WE TREATED THEM WITH

DIGNITY, RESPECT AND TRUST?

LANGUAGE

Implicit Bias

- Commit Suicide
- Non Compliant
- Axis II/PD
- Resistant
- Manipulative/gamey

Patient Centered

- Attempted or Died by Suicide
- TX is not adhering
- Emotional dysregulation
- Engaged/assertive/strong
- Needful, help seeking, persistent, engaged

*Client-centered language is Evidence Based



Check Out



themighty.com


Mad in America

madinamerica.com



livethroughthis.org







Better Suicide Prevention Care





But first . . . lets talk about babies!

- Infant mortality in 1950 was 1 in 30
- Dr. Virginia Apgar appalled at care
- Created the Apgar score

Results:

- Revolutionized newborn care
- Increased monitoring = saved lives
- Created the obstetrics package
- 27,000 mothers saved 2008
- 160,000 Newborns saved 2008





Zero Suicide Core Components



- Leadership commitment
- Standardized screening and risk assessment
- Suicide care management plan
- Workforce development and training
- Effective, evidence-based treatment
- Follow-up during care transitions
- Ongoing quality improvement and data collection



ZeroSuicide.SPRC.org





ACCESS

- Medicaid Expansion



Research Says

- Improved Access
 Suicide
- Care Coordination
 Suicide
- Means Restriction Suicide

Things that don't seem to help:

- Inpatient treatment
- Medication only treatment



Action Steps

- We need suicide specific funding streams
- Robust crisis & access systems
- Hospital alternatives
- Behavioral health urgent care
- Peers, peers, peers and more peers
- Provide services where folks are/want
- Data, data, data and Accountability



Training, Confidence and Protection

- Required suicide training
- Compassionate care
- Protection for trained unless gross
 - negligence
- HOPE









QUESTIONS?

